

# The Microfungi Collections Consortium: A Networked Approach to Digitizing Small Fungi with Large Impacts on the Function and Health of Ecosystems

Using Biodiversity Specimen-Based Data to Study Global Change Workshop

December 2-3, 2015

Mia Maltz

University of California Irvine

Andrew N. Miller, Elizabeth Lippoldt, Phil Anders

University of Illinois Urbana-Champaign Illinois Natural History Survey





### What are microfungi?

Kingdom Amoebozoa

**Phylum Mycetozoa** 

Class Myxogastria (5 orders, 14 families, 62 genera and 888 species)

Class Dictyostelia (1 order, 2 families, 4 genera, 93 species)

Kingdom Stramenipila

Phylum Oomycota (1 class, 13 orders, 25 families, 106 genera, 956 species)

Kingdom Eumycota (Fungi)

**Phylum Ascomycota** 

Subphylum Pezizomycotina

Class Arthoniomycetes (1 order, 4 families, 78 genera, 1608 species)

Class Dothideomycetes (11 orders, 90 familes, 1302 genera, 19,010 species)

Class Eurotiomycetes (10 orders, 27 families, 281 genera, 3401 species)

Class Geoglossomycetes (all macrofungi)

Class Laboulbeniomycetes (2 orders, 5 families, 151 genera, 2072 species)

Class Lecanoromycetes (all lichens)

Class Leotiomycetes (5 orders, 19 families, 641 genera, 5587 species; ~100 species of macrofungi in Leotiales)

Class Lichinomycetes (all lichens)

Class Orbiliomycetes (1 order, 1 family, 12 genera, 288 species)

Class Pezizomycetes (all macrofungi)

Class Sordariomycetes (15 orders, 64 families, 1119 genera, 10,564 species; ~1000 species of macrofungi in Clavicipitales, Hypocreales, and Xylariales)

Subphylum Saccharomycotina (1 class, 1 order, 13 families, 88 genera, 906 species)

Subphylum Taphrinomycotina (4 classes, 4 orders, 5 families, 10 genera, 140 species)

**Phylum Basidiomycota** 

Subphylum Agaricomycotina (all macrofungi)

Subphylum Pucciniomycotina (8 classes, 18 orders, 36 families, 247 genera, 8324 species)

Subphylum Ustilaginomycotina (1 class, 3 orders, 12 families, 62 genera, 1113 species)

Phylum Blastocladiomycota (1 class, 1 order, 5 families, 14 genera, 179 species)

Phylum Chytridiomycota (2 classes, 4 orders, 14 families, 105 genera, 706 species)

Phylum Glomeromycota (1 class, 4 orders, 9 families, 12 genera, 169 species)


Phylum Neocallimastigomycota (1 class, 1 order, 1 family, 6 genera, 20 species)

Phylum Zygomycota (4 subphyla, 10 orders, 27 families, 168 genera, 1065 species)



~4500 genera ~56,000 species

#### **MiCC Participants Map**




- 1.2 million microfungi specimens
- 380,000 existing records
- 53,000 existing images
- 264,000 specimen slides
- 38 institutions in 31 states




State	Institution Name and (Herbarium Code)	Specimens in	Specimens	Specimens to	
		MyCoPortal	Databased	Digitize	
Alabama	University of Alabama (UNA)	0	500	0	
Arizona	Rocky Mountain Research Station (FPF)	0	4,622	0	
Arizona	University of Arizona (ARIZ)	8,474	11,526	20,000	
Arkansas	University of Arkansas (UARK)	0	40,000	10,000	
California	San Francisco State University (SFSU)	0	500	0	
California	University of California (UC)	297	0	56,500	
Colorado	Denver Botanical Garden (DBG)	2,774	0	0	
Florida	University of Florida (FLAS)	104	0	40,000	
Georgia	University of Georgia (GAM)	0	0	40,000	
Hawaii	Bishop Museum (BISH)	0	7,973	0	
Illinois	The Field Museum (F)	3,898	6,102	70,000	
Illinois	University of Illinois (ILL/ILLS)	37,929	10,177	55,000	
Indiana	Purdue University (PUR/PUL)	0	96,480	55,570	
Iowa	Iowa State University (ISC)	9,000	1,000	35,800	
Kansas	University of Kansas (KANU)	0	2,971	0	
Louisiana	Louisiana State University (LSUM)	945	0	10,000	
Maryland	U.S. National Fungus Collections (BPI)	518,290	0	0	
Massachusetts	Harvard University (FH)	7,719	5000	54,000	
Michigan	Michigan State University (MSC)	0	0	31,500	
Michigan	University of Michigan (MICH)	8,856	0	65,000	
Minnesota	University of Minnesota (MIN)	5,569	931	50,000	
Nebraska	University of Nebraska (NEB);	0	2000	50,000	
	specimens digitized by University of Illinois				
New Jersey	Rutgers University (CHRB)	0	0	40,000	
New York	Cornell University (CUP)	26,590	60,000	18,000	
New York	New York Botanical Garden (NY)	65,511	25,000	248,000	
New York	State University of New York (SYRF)	0	0	18,000	
North Carolina	North Carolina State University (NCSLG)	518	1,892	0	
North Carolina	University of North Carolina (NCU);	318	0	18,000	
	specimens digitized by University of Florida				
Ohio	Miami University (MU)	0	0	50,000	
Oregon	Oregon State University	10,624	19,376	0	
Pennsylvania	Academy of Natural Sciences (PH)	0	9,335	32,000	
South Carolina	Clemson University (CLEMS);	0	0	4,800	
	specimens digitized by University of Florida				
Tennessee	University of Tennessee (TENN)	11,170	5,000	0	
Utah	Utah State University (UTC)	1,481	0	0	
Virginia	University of Richmond (URV);	0	0	3,000	
	specimens digitized by NYBG				
Washington	Washington State University (WSP)	0	70,156	C	
Wisconsin	University of Wisconsin (WIS)	0	0	120,000	
Wyoming	University of Wyoming (RM/RMS)	0	0	28,200	
	Totals:	720,067	380,541	1,223,370	
				TAL: 2,323,978	



# Gap Analysis: Geographic Coverage



# Gap Analysis:Temporal Coverage



#### **Data Management**

## MYCOLOGY COLLECTIONS PORTAL

Home Exploi

Explore Crowdsource

ce Checklist Projects

Other Resources

Acknowledgements

Welcome Andrew! My Profile Logout Sitemap


#### Welcome to the Mycology Collections data Portal

The Mycology Collections data Portal (MyCoPortal) is more than just a web site - it is a suite of user-friendly, web-based data access technologies to aid taxonomists, field biologists, ecologists, educators, and citizen scientists in the study of fungal diversity. The data are derived from a network of universities, botanical gardens, museums, and agencies that provide taxonomic, environmental, and specimen-based information. Using the Symbiota (http://symbiota.org) system of virtual online floras, these data are directly accessible to dynamically generate geo-referenced species checklists, distribution maps, and interactive identification keys, all linked with a rich collection of digital imagery documenting fungal diversity of North America.

#### Fungus of the Day



What is this fungus?
Click here to test your knowledge



#### News and Events

- NSF Press Release (#15-092) - NSF awards fifth round of grants to enhance America's biodiversity collections
- NSF Press Release (#12-082) - US National Science Foundation awards support for The Macrofungi Collection Consortium, a collaboration of 35 institutions in 24 states for the purpose of databasing some 1.4 million dried scientific specimens of macrofungi (NSF ADBC 1206197).
- December 2013 1,546,358 occurrence records supplied by 31 different data providers have been integrated into MyCoPortal.
- NEW MaCC records are now part of the Zooniverse project Notes from Nature.
   Please help us by transcribing specimen labels (link)
- Image provided by New York Botanical Garden.

Please join the Mycology Collections Portal as collaborators or regular visitors, and send your feedback to mycoportal.contact@gmail.com.



**Symbiota Portals**: 18 million records served through 621 collections in 22 Portals (9 TCN Portals)

**Data Management** 

Open access of data

**Management & Oversight** 




### **Research Questions**


- 1) What are the effects of anthropogenic disturbance to the environment on the temporal and spatial distribution and phenology of microfungi?
- 2) Can we use historic and current distributional patterns of microfungi as models for the early detection of invasive species to reduce their potential deleterious effects? Can we use these same data to detect endemism and biodiversity hotspots in microfungi?
- 3) How do climatic changes influence the dispersal, distribution, and functioning of soil microfungi?



# Plants and animals: Older taxa restricted to lower latitudes




## Niche conservatism




Ancestral climate

### Niche conservatism




Current climate

## Niche evolution





Current climate

# **Evolution of fungi**




# Western Hemisphere soils






#### 517 fungal taxa (~families)




## For each fungal taxon:

- Assigned to phylum (nine phyla)
- Calculated environmental "preferences"
  - Average latitude
  - Average temperature
  - Average precipitation
- Phylogenetic independent contrasts with phylum age


# Younger phyla reside in higher latitudes




# Younger phyla can tolerate lower temperatures



# Younger phyla require less precipitation



# Summary



### **Research Questions**

- 1) What are the effects of anthropogenic disturbance to the environment on the temporal and spatial distribution and phenology of microfungi?
- 2) Can we use historic and current distributional patterns of microfungi as models for the early detection of invasive species to reduce their potential deleterious effects? Can we use these same data to detect endemism and biodiversity hotspots in microfungi?
- 3) How do climatic changes influence the dispersal, distribution, and functioning of soil microfungi?



### Management of the network

#### **INHS Team**



Andrew Miller PI



Elizabeth Lippoldt Project Manager



Phil Anders Biological Informatician



Alexander Kuhn Digitizer



Scott Bates Project Consultant



Lee Crane Exsiccati and Nomenclature Expert



Tiffany Bone Digitization Expert



Agilda Dema Transcriber




## Management - oversight

Ada Hayden Herbarium, Iowa State University	Specimens Stage 1	14	7											
	Stage 1		/	0	0	0	0	0	0	0	0	128	150	446
		0	0	0	0	0	0	0	0	0	0	0	0	0
	Stage 2	0	0	0	0	0	0	0	0	0	0	128	149	409
	Stage 3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Images	0	0	0	0	0	0	0	0	0	0	0	411	970
Arthur Fungarium, Purdue University	Specimens	0	0	0	0	0	0	0	0	0	0	0	0	236
	Stage 1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Stage 2	0	0	0	0	0	0	0	0	0	0	0	0	0
	Stage 3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Images	0	0	0	0	0	0	0	0	0	0	0	0	0
dernard Lowy Mycological Herbarium (Louisiana State University)	Specimens	23	1050	341	218	112	0	0	2	0	0	1	245	208
	Stage 1	0	0	0	0	0	0	0	0	0	0	0	14	2
	Stage 2	7	562	180	117	43	0	0	0	0	0	1	209	201
	Stage 3	15	482	155	100	69	0	0	2	0	0	0	22	2
	Images	1068	215	615	0	4154	7	5	24	1	0	1	0	415
ield Museum of Natural History	Specimens	39	90	0	0	0	0	0	0	0	0	476	1047	830
	Stage 1	1	0	0	0	0	0	0	0	0	0	1	0	0
	Stage 2	0	0	0	0	0	0	0	0	0	0	246	405	276
	Stage 3	14	16	0	0	0	0	0	0	0	0	0	0	0
	Images	0	0	0	0	0	0	0	0	0	0	55	772	736
ulian H. Miller Mycological Herbarium	Specimens	0	0	0	0	0	0	0	0	0	0	0	559	765
	Stage 1	0	0	0	0	0	0	0	0	0	0	0	0	660
	Stage 2	0	0	0	0	0	0	0	0	0	0	0	559	105
	Stage 3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Images	0	0	0	0	0	0	0	0	0	0	0	592	1845
Iniversity of Illinois Herbarium	Specimens	156	203	71	0	0	0	0	0	31	6109	2775	3406	1017
	Stage 1	0	0	0	0	0	0	0	0	0	159	0	0	4
	Stage 2	154	164	71	0	0	0	0	0	31	80	0	1033	1012
	Stage 3	0	0	0	0	0	0	0	0	0	1	0	0	0
	Images	0	0	0	0	0	0	0	1	15	8328	12423	6515	1362
Jniversity of Nebraska State Museum, C.E. Bessey Ierbarium	Specimens	0	0	0	0	0	0	0	0	0	0	0	0	2135
	Stage 1	0	0	0	0	0	0	0	0	0	0	0	0	0
	Stage 2	0	0	0	0	0	0	0	0	0	0	0	0	0
	Stage 3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Images	0	0	0	0	0	0	0	0	0	0	0	0	2135
Iniversity of Wisconsin-Madison Herbarium	Specimens	0	0	0	0	0	0	0	0	0	0	1805	3631	2423
	Stage 1	0	0	0	0	0	0	0	0	0	0	0	1	2
	Stage 2	0	0	0	0	0	0	0	0	0	0	1775	3609	2414
	Stage 3	0	0	0	0	0	0	0	0	0	0	0	0	0
	Images	0	0	0	0	0	0	0	0	0	0	0	820	1330
Vilhelm G. Solheim Mycological Herbarium	Specimens	0	0	0	0	0	0	0	0	0	0	0	195	349
	Stage 1	0	0	0	0	0	0	0	0	0	0	0	194	349
	Stage 2	0	0	0	0	0	0	0	0	0	0	0	0	0
	Stage 3	0	0	0	0	0	0	0	0	0	0	0	0	0




#### **Specimen records**















**Home** 

**MyCoPortal** 

<u>iDigBio</u>

<u>Participants</u>

**INHS Team** 

Resources

News

**Blog** 

<u>credits</u>

<u>Microfungi</u> comprise a loosely defined artificial group of Fungi and fungal-like organisms that include such things as bread molds, plant pathogens, powdery mildews, rusts, slime molds, and water molds. In general, these fungi are difficult or impossible to see with the unaided eye. A **taxonomical classification of microfungi** suggests the group contains 4468 genera and 55.989 species.

Microfungi are ubiquitous throughout the world and some cause major economic impacts as pathogens of animals, plants, and other fungi. Many <u>microfungi</u> are harmless saprobes, breaking down large complex chemical structures such as lignin found in wood into usable simple compounds. Despite their importance, little is known about the diversity, distribution, ecology, or host relationships of microfungi throughout the United States.

The Microfungi Collections Consortium (MiCC) is a collaborative effort among <u>38 US institutions</u> to digitize specimen label data from 2.3 million North American microfungi specimens and make these data available online to the broader community through the <u>MyCoPortal</u> website. A proposal submitted in October 2014 to the National Science Foundation's <u>Advancing Digitization of Biodiversity Collections</u> program was <u>granted in July 2015</u>. <u>Dr. Andrew N. Miller</u> of the <u>Illinois Natural History Survey</u> serves as the Project Leader.

#### www.microfungi.org







www.facebook.com/microfungi.org



#### microfungi\_inhs FOLLOW

**Microfungi** MiCC is a collaboration among 38 institutions to digitize data from 2.3 million North American microfungi specimens. **www.microfungi.org/** 

8 posts

9 followers

36 following


















http://instagram.com/microfungi\_inhs/