AutoMontage An imaging tool for entomological specimens







A system combining a high resolution digital camera, automated microscope, and photocompositing software

Takes multiple images of a specimen at different focal depths, then combines them to create an image with enhanced depth of field

Camera system (5 megapixel)



Microscope Stage



Computer system



AutoMontage system at Bishop Museum, Honolulu, Hawaii

Steps in image capture

Select specimen, remove labels

Transfer to stage, align, adjust illumination

Set start and end points, capture images

Use software to generate composite image

Store image on server, clear buffer

Re-attach labels, put specimen away

Digitally edit image as necessary

Total time involved is 15-30 minutes/specimen

Faster for skilled users

But extra care must be taken if handling types

Dorsal view only, or lateral and/or ventral also?

Close-ups of key characters?

Best case scenario is probably 4 specimens/hou Includes specimen handling and post-processing

Final image edit in Photoshop = 15 min.- ∞

1000 type specimens would require min. 250 hrs

Higher magnification images take longer

Other considerations

Background color matters

Photographer's neutral grey card equivalent is good Allows unambiguous color correction

For grey specimens, use dark or black background
Pale background can cause contrast problems

Use automatic white balance correction

Do not use the out-of-focus background feature

Can cause loss of resolution on appendages

Examples of images generated

Full-body images

Close-ups of key characters



Ochterus new species, Rurrenabaque, Bolivia



Hermatobates djiboutensis, Maldive Islands


















Conclusions

A very useful tool for entomological imaging

Can obviate the need for loans of type specimens

Process requires some time: 15-30 min/specimen

Technique is important

Illumination, focus, post-processing

System components are expensive (~\$25K)

Need an adequate CPU and RAM

Output files are large (25-30 MB)

